Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	("5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN. "20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:40
L2	10	L1 and aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:41
L3	1	L1 and (slit hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:41
L4	4	"6693497".pn. "20020004307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:42
L5	2	L4 and (mode adj converter) with (slit hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:45
L6	1	"20020118934" and (mode adj converter) with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:54
L7	0	"20020097941" and (mode adj converter) with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:59
L8	0	"20020097941" and (mode adj converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:55
L9	0	"20020097941" and (mode adj transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:55
L10	2	"20020097941" and mode with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:55

L11	1	"20020097941" and transmitter with laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 10:00
L12	1	"20020097941" and laser with semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 10:00
L14	689	385/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:08
L15	1375	385/27.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:08
S1	8278	(multi$1mode (multi adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:40
S2	18827	(single$1mode (single adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:41
S3	3746	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:41
S4	30	spatial adj mode adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:44
S5	5	S3 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:42
S6	8	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44

S7	3462	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 14:58
S8	5	S5 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:45
S9	40	S3 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:45
S10	28	S9 not @ad>="20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:50
S11	339	(mode adj (converter transformer)) near5 first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:48
S12	292	(mode adj (converter transformer)) near5 second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:48
S13	206	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:48
S14	170	S11 same S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:48
S15	6	S3 same S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:49
S16	30	S3 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:49

S17	21	S16 not @ad>="20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:53
S18	6	S7 with bandwidth with increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:53
S19	6	S6 and increase near3 bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:11
S20	686	385/28.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:12
S23	35	high adj order adj mode adj fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:34
S24	22	("0126954"|"0191906"|"0011847"|"5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:48
S25	6	"20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12
S26	22	("0126954"|"0191906"|"0011847"|"5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12
S27	6	"20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12
S28	27	S26 S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12

S29	8278	(multi$1mode (multi adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12
S30	18827	(single$1mode (single adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:12
S31	16	S28 and S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:13
S32	3462	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:13
S33	0	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:13
S34	0	S28 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:14
S35	9	S28 and (convert$3 transform$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:14
S36	4	S28 and (convert$3 transform$5) near3 mod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:45
S37	2	transmit$4 same ((mode adj (transform$5 convert$3)) near5 first) same ((multi$1mode (multi adj mode)) near3 fiber) same ((mode adj (transform$5 convert$3)) near5 second) same receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:50
S38	37	transmit$4 and ((mode adj (transform$5 convert$3)) near5 first) and ((multi$1mode (multi adj mode)) near3 fiber) and ((mode adj (transform$5 convert$3)) near5 second) and receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:50

S39	11	S38 and excit$5 near5 mod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:57
S41	26	S38 and reduc$4 with mod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:54
S42	10	S38 and increas$3 near5 (bandwidth width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:54
S43	1	S39 and S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 13:54
S45	3462	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 14:59
S46	5	S45 with (condition$3 near5 mod$2 near5 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:16
S47	6696	mod$2 near3 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:17
S48	820	S47 and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:17
S49	8278	(multi$1mode (multi adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:18
S50	18827	(single$1mode (single adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:18

S51	3746	S49 same S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:18
S52	30	spatial adj mode adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:18
S53	8	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:19
S54	5	mod$2 near3 profile and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 17:18
S55	8283	(multi$1mode (multi adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:39
S56	18842	(single$1mode (single adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:39
S57	3750	S55 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:39
S58	30	spatial adj mode adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:39
S59	8	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:39
S62	3	S59 and (displac$5 offset angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:42

S63	3	S55 and S56 and S58 and (displac$5 offset angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:47
S64	3	S55 and S56 and S58 and aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:48
S65	21	("5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN. "20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:47
S66	10	S65 and aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:52
S69	1	S65 and (slit hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:00
S70	1	S58 with (slit near3 aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:53
S71	1	S58 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:53
S72	1	S58 with slit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:53
S81	5	S65 and offset$4 and angl$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:00
S82	9	S65 and (offset$4 angl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:08

S84	6	S65 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:09
S85	5	S59 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:10
S86	1	S58 with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:10
S87	2	S58 same filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:10
S88	3464	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:10
S89	248	S88 with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:11
S90	14	S88 with filter and S55 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:44
S91	33	S88 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:50
S92	2	S88 with (pin$1hole (pin adj hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:50
S93	5	S88 with slit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:52

S94	6	S88 with concentric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:53
S95	0	S88 with aperture with concentric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:54
S96	2	S88 same (aperture with concentric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:54
S97	16321	aperture with concentric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:54
S98	17	aperture with concentric with circ$4 with (pin$1hole (pin adj hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:56
S99	1	S98 and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:56
S100	5	S98 and mod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 18:57
S101	8283	(multi$1mode (multi adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44
S102	18842	(single$1mode (single adj mode)) near3 fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44
S103	3750	S101 same S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44

S104	30	spatial adj mode adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44
S105	8	S103 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:44
S106	0	S105 and (thom with single-mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:45
S107	1	S105 and (thom with smf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:45
S108	21	("5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN. "20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:47
S109	0	S108 and mmf with smf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:48
S110	17	S108 and ((multi$1mode (multi adj mode)) with (single$1mode (single adj mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:51
S111	0	S108 and ((multi$1mode (multi adj mode)) with (long$1haul (long adj haul)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:51
S112	0	S108 and ((multi$1mode (multi adj mode)) with distant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:52
S113	9	S108 and ((multi$1mode (multi adj mode)) with distan$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:54

S114	2	S108 and (conditioning adj patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:54
S115	1	S105 and (conditioning adj patch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:55
S116	1	S104 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:56
S117	1	S104 same aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:56
S118	5	S104 and aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:56
S119	3464	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:57
S120	33	S119 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:57
S121	21	S119 with (aperture not numeric$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 10:57
S123	3464	mode adj (converter transformer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 13:31
S124	12	S123 with (slit pin$1hole (pin adj hole) concentric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 13:45

S12 5	53	S123 with (hole opening)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:06
S12 6	0	S123 with aperture with concentric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 13:53
S12 7	33	S123 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 13:59
S12 8	248	S123 with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:00
S12 9	31	S123 with filter with fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:04
S13 0	52205	receiver with filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:04
S13 1	28700	receiver near5 filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:04
S13 2	433	(receiver near5 filter) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:05
S13 3	104	((receiver near5 filter) with fiber) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:05
S13 4	0	((receiver near5 filter) with ((multi$1mode (multi adj mode)) near3 fiber)) and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:07

S13 5	1	((receiver near5 filter) with ((multi$1mode (multi adj mode)) near3 fiber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:11
S13 6	7	S123 and chang$3 with bandwidth with (therm$5 heat temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:14
S13 7	5	S123 and chang$3 with bandwidth with (polariz$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:16
S13 8	3	S123 and chang$3 with bandwidth with stress	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:17
S14 0	3	S123 and chang$3 with bandwidth with splic$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:19
S14 1	119	(electro$1absorption (electro adj absorption)) adj modulated adj laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:20
S14 2	29	S141 with transmi$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:20
S14 3	23	S142 not @ad>="20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:21
S14 4	5	S143 and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:23
S14 5	10	S143 and (semi$1conductor (semi adj conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:28

S146	59	receiver with filter with chang$3 with power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:30
S147	1	S146 and "385"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:28
S148	1278	receiver with filter with (reconstruct$3 construct$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:30
S149	0	receiver with filter with (reconstruct$3 construct$3) with (multi$1mode (multi adj mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:30
S150	14	receiver with filter with (reconstruct$3 construct$3) with fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:31
S151	12	S150 not @ad>="20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:32
S152	2	"6360045".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 14:32
S153	7	("4261639" | "5185827" | "5261016" | "5361319" | "5388113" | "5559920" | "5781673").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 14:38
S154	20	transmitter with ((time$1varied time$1varying (time adj varied) (time adj varying)) adj phase)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 17:31
S155	1	"6415076".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 17:41
S156	4	"6360045"	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 18:54

S158	30	spatial adj mode adj converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 18:58
S159	1	S158 with (pin$1hole (pin adj hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 18:58
S160	2	"5361319".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:00
S161	2	"5253309".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:00
S162	21	("5416862"|"6154589"|"6185346"|"6356680"|"6415076"|"6487338"|"6510265"|"6609834").PN. "20020126954" "20020191906" "20030011847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:06
S163	4	S162 and polarization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:40
S164	6	S162 and splic$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:07
S165	215	bandwidth with polarization with mod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:10
S166	55	bandwidth with polarization with mod$2 with fiber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 11:08
S167	3	bandwidth with polarization with mod$2 with fiber with (chang$3 varied varies vary variation) with (convert$3 transform$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:18

S168	4	"6693497".pn. "20020004307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 09:42
S169	3	bandwidth with polarization with mod$2 with (chang$3 varied varies vary variation) with (convert$3 transform$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:18
S170	8	bandwidth with polarization with mod$2 with (convert$3 transform$5) ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 19:19